



Lloyd's
Register

CERTIFICATE OF TYPE APPROVAL

This is to certify that

The product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.

Manufacturer Leaffield Marine Limited

Address 9 Atworth Business Park
Bath Road
Atworth
Wiltshire, SN12 8SB
United Kingdom (UK)

Product Type GAS INFLATION SYSTEM

Product Description Liferaft Gas Inflation System Type GIST comprising:
a) Gas Cylinder Valve Assembly Types
03020 CVT 1,2 & 3, 03021 CVT 1,2 & 3, 03020 CVT series
b) Operating Head Types: 03010 OHT REV04, 1106003 REV02, 1407003 REV03,
0709001 REV03
c) Hose Assemblies
PD 11401, PD 11514, PD 11523, PD 11524, PD 11526
d) Inlet Valve Assemblies
03250 IVT 1.0-2.8 series, 03260 IVT 1.0-2.8

Specified Standards IMO Resolution MSC.81 (70), Part 1 as amended
BS ISO 15738:2002
BS ISO 9650:2005

The attached Design Appraisal Document forms part of this certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

Date of issue 10 July 2018

Expiry date 5 May 2020

Certificate No. SAS S150044/M4

Signed

Sheet No 1 of 5

Name

L. Thomas

Surveyor to Lloyd's Register EMEA

A Member of the Lloyd's Register Group

Note:

This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register of any modification or changes to the equipment in order to obtain a valid certificate.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Page 2 of 5
Document number SAS S150044/M4
Issue number 1

DESIGN APPRAISAL DOCUMENT

Date 10 July 2018	Quote this reference on all future communications SOUTSO/SFS/TA/LT/WP31930299
----------------------	--

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S150044/M4

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions, and this Design Appraisal Document forms part of the Certificate.

EXAMINED DOCUMENTATION

This Certificate is an amendment of Certificate No SAS S150044/M2.
General User Manual for Gas Inflation System (Torsional), Document No: M-07-UM-GIST, Revision 13,
Dated 24/08/2015.

Cylinder Valve 03020 CVT Series:

<u>Plan/Doc No.</u>	<u>Rev</u>	<u>Plan Date</u>	<u>Title or Description</u>
03020CVT Series	04	04-02-15	Cylinder Valve Assembly
03020 BSS205	01	29-09-10	Break Stem Seal Assembly 205bar
03020 BSS210	01	29-09-10	Break Stem Seal Assembly 210bar
03020 BSS230	02	29-09-10	Break Stem Seal Assembly 230bar
03020 BSS245	01	02-02-15	Break Stem Seal Assembly 245bar
03020 BSS250	03	29-09-10	Break Stem Seal Assembly 250bar
03020 BSS275	01	29-09-10	Break Stem Seal Assembly 275bar
03020 BSS300	02	29-09-10	Break Stem Seal Assembly 300bar
03020TDA	03	07-09-05	Torque Drive Assembly
03020STA	01	14-01-14	Syphon Tube Assembly

Operating Head:

<u>Plan/Doc No.</u>	<u>Rev</u>	<u>Plan Date</u>	<u>Title or Description</u>
03010 OHT	04	08-09-17	Operating Head Torsional(Increased gear box travel)
1103004	01	16-10-13	Actuator Cable Assembly
1106003	02	08-09-17	Operating Head Assembly Torsional, with small loop cable
1104003	01	26-11-13	Actuator Cable Assembly Small Loop
1407003	03	11-09-17	Operating Head Torsional- Twin Ball Cable for Vacuum Bag Applications
0709001	03	10-01-18	Operating Head Torsional- Vacuum Bag Interface
19128	03	13-02-18	Actuator Cable Assembly Twin Ball Series
18885	02	05-06-18	Cap- Operating Head (Increased gear box travel)

Inlet Valve Types 03250 IVT 1.0 - 2.8 series and 03260 IVT 1.0 - 2.8 series:

<u>Plan/Doc No.</u>	<u>Rev</u>	<u>Plan Date</u>	<u>Title or Description</u>
03250IVT	04	04-01-16	Inlet Valve Torsional Plated Selection Chart (Increased ball clearance)
03260IVT	02	04-01-16	Inlet Valve (Torsional) Un-Plated Selection Chart (Increased ball clearance)



Page 3 of 5
Document number SAS S150044/M4
Issue number 1

DESIGN APPRAISAL DOCUMENT

Date 10 July 2018	Quote this reference on all future communications SOUTSO/SFS/TA/LT/WP31930299
----------------------	--

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S150044/M4

M16 Quick Fit Connector:

<u>Plan/Doc No.</u>	<u>Rev</u>	<u>Plan Date</u>	<u>Title or Description</u>
0806001	01	04-06-13	M16 Quick Fit Connector Assembly (Stainless Steel)
0907003	01	04-06-13	M16 Quick Fit Connector Assembly (Plated Steel) with 'O' ring seal
32400010	01	31-03-09	M16 Quick Fit Connector Assembly (Plated Steel)

Hose Assembly

<u>Plan/Doc No.</u>	<u>Rev</u>	<u>Plan Date</u>	<u>Title or Description</u>
PD11526	01	15-03-13	Vendor Control Drawing (GIST Hose Assemblies-316 stainless Steel)
PD11524	01	18-05-10	Vendor Control Drawing (Hose GIST Assemblies-316 stainless Steel)
PD11401	02	14-06-10	Vendor Control Drawing (GIST Hose Assemblies)
PD11514	03	26-09-12	Vendor Control Drawing (GIST Hose Assemblies)
PD11523	01	01-02-12	Vendor Control Drawing (GIST Hose Assemblies)

TEST REPORTS

Report Title or Report Author

Report No.

Date

Test Procedure for Statutory Approval of Leaffield Marine Ltd Hose Assembly PD 11401, PD 11402	M-07-TP-3GIST, Rev.02	Aug-05
Results of Testing for Statutory Approval & TPED Assessment of Leaffield Marine Ltd Gas Cylinder Valves (#03020CVT1, 03020CVT2, 03020CVT3, 03021CVT1, 03021CVT2 & 03021CVT3); Operating Head (#03010OHT); Inlet Valves (#03250IVT1.0-2.8 series and 03251IVT1.0-2.8 series), endorsed by LR Southampton	M-07-TR-2GIST, Issue 1	Mar-05
Test Procedure for Statutory Approval & TPED Assessment of Leaffield Marine Gas Cylinder Valves (#0302000, 0302100, 0302200, 0302300, 0302400 & 0302500); Operating Head (#0301000); Inlet Valves (#0325000 and 0326990)	M-07-1GIST, Issue 2	Oct-04
Result of Testing for Statutory Approval of Leaffield Marine Ltd hose Assemblies PD 11401	M-07-TR-4GIST REV 01	Mar-06
Test Procedure for Statutory Approval of Leaffield Marine Limited Hose Assemblies PD 11401 Rev 02 and PD 11514 Rev 02	M-07-TP-6GIST REV.01	Sept-07
Further Statutory Approval testing of Leaffield Marine Ltd Hose Assemblies PD 11401 & PD 11514 Manufactured using HIFLEX Fluidtechnik Hoses Type W-181-E and ARCTIC-04	M-07-TR-8GIST Rev 01	Jan-08
Test results for TPED Assessment of Leaffield Marine Limited GAS Cylinder Valve Bodies Parts No 18254 and 18301	M-07-TR-7GIST Issue 1	July-06



Page 4 of 5
Document number SAS S150044/M4
Issue number 1

DESIGN APPRAISAL DOCUMENT

Date 10 July 2018	Quote this reference on all future communications SOUTSO/SFS/TA/LT/WP31930299
----------------------	--

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S150044/M4

<u>Report Title or Report Author</u>	<u>Report No.</u>	<u>Date</u>
Test Report for Statutory Approval Testing of Break Stem Seal (#17615) to LML #M-07-TP-11 GIST Rev. 01	M-07-TR-11GIST Rev.01	Sept-10
Report of the statutory approval testing to M-07-TP-13GIST Rev.01 of Leaffield Marine Limited operating head assembly 03010OHT	M-07-TR-13GIST REV.01	April-11
Report of the statutory approval testing of LML Inlet valve assembly #03250 IVT and #03260 IVT	M-07-TR-12GIST Rev-01	Mar-11
Report On Statutory Approval Testing of the Leaffield Marine Ltd. M16 Quick Fit Connector Body with revised Groove Geometry (Part Nos. 18680-Rev01d & 18540-02c)	M-07-TR-17GIS	May-13
Report on the Statutory Approval Testing of the Steel Weighted Siphon Tube	M-07-TR-13GIS	May-13
Test Procedure for Statutory Approval of Leaffield Marine Ltd Hose Assemblies PD 11524 rev 01 and PD11526 rev 01	M-07-TP-9GIST Rev 01	June -09
Report of the statutory approval testing to M-07-TP-9GIST Rev.01 of Leaffield Marine Limited hose assemblies PD 11524 Rev.01 and PD 11526 Rev.01	M-07-TR-9GIST REV.01	July-09
Test report on the validation of GIVT Ball Seat Moulding (Castellated) LML part #18271-02	M-07-TR-I GIVT	Feb -16
Salt spray testing, for the acceptance of bright nickel plated components in cylinder valve bodies	15511	20-Apr-16
GIST Operating Head Assemblies Part No: 03010 OHT-Rev04,1106003-Rev02, 1407003-Rev 03, 0709001-rev03	M-07-TR-24GIST	02-July-18

CONDITIONS OF CERTIFICATION

1. Maximum Working Pressure: 260 bar
2. Maximum Developed Pressure: 300 bar
3. The approval of hose assemblies PD 11401, PD 11524, PD 11514, PD 11523 and PD 11526 is limited to its use with CO2/N2 gas systems and compressed air/nitrogen gas systems only and does not constitute general approval of the hoses for use with other mediums or other systems
4. The final determination of suitability of a system shall be made on the basis of testing the end product in which the system is to be used in accordance with IMO Resolution MSC.81 (70). The suitability of any component covered by this certificate is generally dependent upon its relationship to the size, number and arrangement of the other components of the system in the end product



Page	5 of 5
Document number	SAS S150044/M4
Issue number	1

DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications
10 July 2018	SOUTSO/SFS/TA/LT/WP31930299

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S150044/M4

5. If the specified standards be amended during the validity of this certificate, this product is to be re-approved prior to it being supplied to vessels to which the amended standards apply
6. Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure compliance with SOLAS Regulation III/5
7. Production items are to be manufactured in accordance with a quality control procedure and records kept as required by MSC.81 (70) Part 2, Paragraph 1.2. This does not preclude any further testing to additional requirements of the Marine Administration of the country where the ship is registered (i.e. the flag state) or those acting on behalf of that administration
8. Should a change of Place of Production from that stated below be required i.e. where the stages of manufacture/assembly/testing of this product take place, the new Place of Production is to be advised to us prior to the change taking place. This Certificate will require to be updated for Approval to be maintained

PLACE OF PRODUCTION

Leaffield Marine Limited
9, Atworth Business Park, Bath Road
Atworth
Wiltshire, SN12 8SB
United Kingdom (UK)



Lijo Thomas
Senior Specialist
Statutory Fire & Safety
Southampton Technical Support Office, Marine & Offshore
Lloyd's Register EMEA

Supplementary Type Approval Terms and Conditions

This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein, it does not mean or imply approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s).